Case 2:19-cr-00877-CCC Document 71-2 Filed 03/24/20 Page 1 of 5 PageID: 1583

# EXHIBIT B

#### Coronavirus Disease 2019 (COVID-19)

People with Asthma and COVID-19

This information is based on what we currently know about the spread and severity of coronavirus disease 2019 (COVID-19).

# Risk of Getting COVID-19

People with asthma may be at higher risk of getting very sick from COVID-19. COVID-19 can affect your respiratory tract (nose, throat, lungs), cause an asthma attack, and possibly lead to pneumonia and acute respiratory disease.

# Treatment

There is currently no specific treatment for or vaccine to prevent COVID-19. The best way to prevent illness is to avoid being exposed to this virus.

# Prepare for COVID-19

- <u>Stock up on supplies</u>.
- Take everyday precautions to keep space between yourself and others.
- When you go out in public, keep away from others who are sick.
- Clean your hands often by washing with soap and water or using an alcohol-based hand sanitizer.
- Avoid crowds and people who are sick.

People with Asthma and COVID-19 | CDC Case 2:19-cr-00877-CCC Document 71-2 Filed 03/24/20 Page 3 of 5 PageID: 1585

• Avoid sharing personal household items such as cups and towels.

#### Follow your Asthma Action Plan

- Take your asthma medication exactly as prescribed. Talk to your healthcare provider, insurer, and
  pharmacist about creating an emergency supply of prescription medications, such as asthma inhalers.
  Make sure that you have 30 days of non-prescription medications and <u>supplies</u> on hand too in case
  you need to stay home for a long time.
- Know how to use your inhaler.
- Avoid your <u>asthma triggers</u>.
- <u>Clean and disinfect</u> frequently touched surfaces like tables, doorknobs, light switches, countertops, handles, desks, phones, keyboards, toilets, faucets, and sinks daily to protect yourself against COVID-19. Avoid disinfectants that can cause an asthma attack.
- As more cases of COVID-19 are discovered and our communities take action to combat the spread of disease, it is natural for some people to feel concerned or stressed. Strong emotions can trigger an asthma attack. <u>Take steps to help yourself cope with stress and anxiety</u>.

# If you have symptoms

Contact your health care provider to ask about your symptoms.

	Page last reviewed: March 17, 2020
Coronavirus Disease 2019 (COVID-19)	
 How to Prepare	
Symptoms & Testing	
Are You at Higher Risk for Severe Illness?	
People Who are at Higher Risk	
Older Adults	
People with Asthma and COVID-19	

People	with Asthma and COVID-19   CDC Case 2:19-cr-00877-CCC Document 71-2 Filed 03/24/20 Page 4 of 5 PageID: 1586 People with HIV	
	Steps to Prevent Getting Sick	
	If You Are Sick or Caring for Someone	
	Frequently Asked Questions	
	Travel	
	Cases & Latest Updates	
	Schools, Workplaces & Community Locations	
	Healthcare Professionals	
	Healthcare Facilities	
	Health Departments	
	Laboratories	
	Communication Resources	

#### Get Email Updates

To receive email updates about COVID-19, enter your email address:

<u>What's this?</u>

HAVE QUESTIONS?

•••|

#### People with Asthma and COVID-19 | CDC

Case 2:19-cr-00877-CCC	Document 71-2	Filed 03/24/20	Page 5 of 5 PageID: 1587	
Visit CDC-INFO				
Call 800-232-4636				
Email CDC-INFO				
∟ Open 24/7				
CDC INFORMATION About CDC				
Jobs				
Funding				
Policies				
File Viewers & Players				
Privacy				
FOIA				
No Fear Act				
OIG				
Nondiscrimination				
Accessibility				
CONNECT WITH CDC				
U.S. Department of Health & Human Services				

USA.gov CDC Website Exit Disclaimer

#### SAS stats